

(国12/0401

## **Patent and Trademark Office**

Address: Box ISSUE FEE

COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

001095 HICHAEL W GLYNN

NOVART (S) CURPORATION 564 MORRIS AVENUE

□ Note attached communication from the Examiner

☐ This notice is issued in view of applicant's communication filed

NOTICE OF ALLOWANCE **AND ISSUE FEE DUE** 

SERIES CODE/SERIAL NO.	FILING DATE	TOTAL CLAIMS	EXAMINER AND GROUP ART UNIT		DATE MAILED
08/682.452	。 レ07/17/96	023	MERRIAM. A	1714	04/01/98
First Named NICULSUN		PAUL	c.		

INVENTION EXTENDED WEAR OPHTHALMIC LENS

	ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYPE	SMALL ENTITY	FEE DUE	DATE DUE
i	CL/V-20676/P	523-106.	000 CS	อ บาณาเ	'Y NO	\$1320.00	07/01/98

THE APPLICATION IDENTIFIES ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

## **HOW TO RESPOND TO THIS NOTICE:**

- I. Review the SMALL ENTITY Status shown above. If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
  - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the patent and Trademark Office of the change in status, or
  - B. If the Status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, pay of 1/2 the FEE DUE shown above.
- II. Part B of this notice should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B should be completed and returned. If you are charging the ISSUE FEE to your deposit account, Part C of this notice should also be completed and returned.
- III. All communications regarding this application must give series code (or filing date), serial number and batch number. Please direct all communication prior to issuance to Box ISSUE FEE unless advised to contrary.

IMPORTANT REMINDER: Patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.



## UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

	08/682.452	07/17/96	NICOLSON	P	CL/V-20676/
				F	AMINER
	001095		IM12/0401	<u> </u>	11
	MICHAEL W GL NOVARTIS COF			MERR1	
	564 MORRIS A	AVENUE		ANTONII	PAPER NUMBER
	SUMMIT NJ 07	7901		, 1714	
				DATE MAILED:	
an.	de la a communitación d				04/01/98
Ċ	nis is a communication from DMMISSIONER OF PATEN	The examiner in char NTS AND TRADEMAN	ge of your application. RKS		•
A# -1-2-			OTICE OF ALLOWABILI		
previous	s being allowable, PROS ly mailed), a Notice of All	ECUTION ON THE lowance and Issue F	MERITS IS (OR REMAINS) CLO se Due or other appropriate com	SED in this application. I	f not included herewith (o
	communication is respon		mendant Ilo	indication will be mailed	in due course.
_/	allowed claim(s) is/are	70-97		geriel Me	W 1424/12
_		1010			·
	drawings filed on		are acceptable.		
			priority under 35 U.S.C. § 119(a)		
ı <b>™</b> Ali	_ ☐ Some* ☐ None	of the CERTIFIED	copies of the priority documents	have been	
• <del>[]</del> 1	eceived.		1	. /	
₩.	received in Application No	o. (Series Code/Seri	al Number) 08 569 8	16	
□ re	eceived in this national st	tage application from	the International Bureau (PCT F	Rule 17.2(a)).	<del></del>
	ed copies not received: _				• \
☐ Ackno	owledgement is made of	a claim for domestic	priority under 35 U.S.C. § 119	(e).	
A SHORT	ENED STATUTORY PE	RIOD FOR RESPO	NSE to comply with the requirem		EXPIRE THREE MONTH application. Extensions of
☐ Note:	the attached EXAMINED	'S AMENIOMENT	NOTICE OF INFORMAL APPLIC R DECLARATION IS REQUIRED	CATION, PTO-152, which o	discloses that the oath or
	ant MUST submit NEW I				
☐ bec	ause the originally filed o	drawings were decla	red by applicant to be informal.		t
			tperson's Patent Drawing Review	v, PTO-948, attached here	to or to Paner No.
☐ incl	uding changes required t the examiner.	by the proposed draw	wing correction filed on		which has been approved
☐ Incl	uding changes required I	by the attached Exa	miner's Amendment/Comment.		
Identify	ring Indicia such as the	ennlication number	or (see 37 CFR 1.84(c)) should I r with a transmittal letter addre	be written on the reverse	side of the drawings.
☐ Note t	the attached Examiner's	comment regarding	REQUIREMENT FOR THE DEP	OSIT OF BIOLOGICAL MA	Person.
Any respo	nse to this letter should in	nciude, in the upper of Allowance and iss	right hand corner, the APPLICAT ue Fee Due, the ISSUE BATCH I		:
Attachme					i
☐ Noti	ce of References Cited, F	PTO-892			:
	rmation Disclosure State		Paper No(a)	× _	-1
	ce of Draftsperson's Pate			$ \Omega$ $ 1$	coll .
	ce of Informal Patent App		TELL O'NAR	Puden	X Wollen
_	rview Summary, PTO-41	the said the said the		HODER	6 CMERCIA
	rview summary, F10-41.		<b>6</b>	Prima	TY EXAMINEL

Serial Number: 08/682,452 Page 2

Art Unit: 1511

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Scott Meece on March 30, 1997.

2. The application has been amended as follows:

In the claims:

claim 85, line 1, please delete "polymeric material" insert therefore --lens--; claim 86, line 2, please delete "0.2" and insert therefore --0.3--; and, claim 87, line 2, please delete "1.5" and insert therefore --2.6--.

3. The following is an examiner's statement of reasons for allowance:

The presently claimed oxygen and water/ion permeable lens comprises at least one oxygen permeable pathway which consists physically of a continuum of oxygen permeable material that extends from the inner to the outer surface of the lens. The lens also comprises at least one continuum extending from the inner surface of the lens to the outer surface of the lens, which continuum comprises an ion or water permeable material. This continuously permeable structure is included within a two-phase lens comprising a single piece. No prior art references, either taken alone or in combination, suggest a water or aqueous ion permeable lens having as well an oxygen permeability from the inner surface of the lens to the outer surface of the lens.

Serial Number: 08/682,452 Page 3

Art Unit: 1511

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Merriam or SPE Jagannathan whose telephone number is (703) 308-4353 or SPE at 306-2777.

Andrew E. C. Merriam Primary Examiner Group Art Unit 1714

aem March 30, 1998